UNCLASSIFIED



AD NUMBER

AD-355 785

CLASSIFICATION CHANGES

TO UNCLASSIFIED

FROM CONFIDENTIAL

AUTHORITY

Gp-4 per OCA; Nov 30, 1976

19990708205

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED



AD NUMBER

AD-355 785

NEW LIMITATION CHANGE

TO

DISTRIBUTION STATEMENT: A

Approved for public release; Distribution is unlimited.


LIMITATION CODE: 1

FROM No Prior DoD Distr Scty Cntrl St'mt Assgn'd

AUTHORITY

ONR via Ltr; Jun 15, 1977

THIS PAGE IS UNCLASSIFIED



ENSE DOCUMENTATION CENTER

ENTIFIC AND TECHNICAL INFORMATION

GAMERON STATION ALEXANDRIA, VIRGINIA

IS:

le of raded at BER 31,<u>1972</u>



MOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the covernment may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

NOTICE:

THIS DOCUMENT CONTAINS INFORMATION
ALFECTING THE NATIONAL DELENSE OF
THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE LAWS, TITLE 18,
U.S.C., SECTIONS 793 and 794. THE
TRANSMISSION OR THE REVELATION OF
ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON 19 PROHIBITED
EY LAW.

Williams

355835

t

3 5 5 7 8 5

SIX YEARS OF REASEARCH ON HUMAN FACTOR
PROBLEMS IN ASW: A SUMMARY (U)


Technical Report 206-28



GROU: 4
Downgraded at 3 year Intervals;
declassified after 12 years

HUMAN FACTORS RESEARCH, INCORPORATED SANTA BARBARA . LOS ANGELES . SAN DIEGO

INCLASS.



Technical Report 206-28

Robert R. Mackie

Prepared for


Personnel and Training Branch Psychological Sciences Pivision Office of Naval Research Department of the Navy

bу

Human Factors Research, Incorporated Santa Barbara + Los Angeles + San Diego

November 1964 Contract Nonr 2649(00) NR 153-199

William Control of the Control of th



This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C., Sections 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

Reproduced From Best Available Copy

Reproduction in whole or in part is permitted for any purpose of the United States Government.

111

"It is essential that the sonar designer be informed as to the characteristics of observers as well as to the characteristics of the transmitting medium. Sonar, then, is bounded on one side by oceanography and on the other by psychophysiology

"The primary purpose of every indicator or recorder used in sonar is, in some way or other, to make the signal perceptible to the observer . . . the quantitative evaluation of the performance of the instrument involves defining the limiting conditions under which the effect to be produced is adequately perceptible. This implies that the operation of any instrument is a joint enterprise in which the instrument is one partner and the observer the other. In stating the performance of the instrument quantitatively, therefore, certain physiological and psychological characteristics of human beings are quite as relevant as the nature and behavior of acoustic waves in the sea, or as the properties of the system by which these waves are caused to influence the instrument."

From: The Fundamentals of Sonar, by Dr. J. W. Horton

1 v

FOREWORD

In 1958 a contract was established between CNR and HFR for the broad purpose of determining, in objective quantitative terms, the capabilities and limitations of Navy personnel in relation to the performance of various ASW systems. Target classification was the most pressing problem at the time, and much of the early work was concentrated in that area. More recent work has been directed toward measurement of the human role in target detection and equipment calibration and maintenance.

For the most part, the investigations have been experimental rather than analytical in nature. The scene of the experiments has varied with the problem: the laboratory, the ASW Schools, aboard ships and aircraft underway. Attention has been focused on the routine performance problems faced by operating and training personnel in attempting to maximize the performance of systems to which the Navy is fully committed. Little emphasis has been placed on future systems although much of value has been learned that should be applied to future systems.

The emphasis on existing systems has resulted in a far different orientation and a more basic appreciation of the Navy's operating problems than otherwise would have been the case. Project personnel have operated some equipment, calibrated some equipment, repaired some equipment, designed data collection services, directed exercises from CIC, studied the ASW problem through the eyes of seamen, petty officers, and captains, ridden destroyers, submarines, airplanes, and helicopters, and have heard all of the standard rationales for why things don't work better.

The results of this work have been, in some cases, obvious and concrete; in others they have been subtle, constituting more of an influence than an objective achievement. Twenty-seven technical reports have been issued; films, slides, magnetic tapes and technical manuals have been prepared and distributed, the staff has served in working groups concerned with the analysis of ASW systems, the design of sonar trainers, and the conduct of evaluational tests.

This summary report has been prepared as a means of reminding those who design, purchase, or use ASW equipment that the Navy has supported a good deal of research that logically should influence decisions concerned with the "joint enterprise in which the instrument is one partner and the observer the other." In addition, it hopefully will be a more convenient reference than the 27 technical reports, some classified, some not, that by now may be scattered in diverse files, drawers, and libraries.

With apologies, we must confess that the results of psychological experiments are not always reported in a form that immediately suggests the ray to apply them in the practical environment. Of course, this is true of nearly all "basic" research. However, many of the findings summarized here have been applied and many others could be with very minor efforts at translation.

v i

ACKNOWLEDGEMENTS

Continuing support of several Navy agencies has made possible a better planned and more coherent research program than would otherwise be possible. Regular support has been provided by ONR (Codes 458 and 466) and the Bureau of Ships (Code 689). In addition, periodic support has been received from the Bureau of Personnel (Pers 152).

Scientific cognizance has rested with the Personnel and Training Branch, Psychological Sciences Division, ONR. Additional guidance regularly has been received from Undersea Programs, ONR, the Surface Sonar Branch, Bureau of Ships, and the Signal Recognition Branch, Navy Electronics Laboratory.

Execution of the research has been aided in no small way by the commands of the ASW Schools and by the personnel of a substantial number of Navy ships and aircraft squadrons; by training personnel at various fleet activities and NTC, San Diego; and by countless individual officers and men who have offered an opinion, provided information, or server as experimental subjects.

vii



Table of Contents

		Page
FORHWO	RD	v
ACKNOW	LEDGEMENTS	vii
1 N T D O D	UCTION	ı
INIKOD		ı
1.	CLASSIFICATION	2
11.	ANALYSES OF CLUES DISPLAYED BY OPERATIONAL EQUIPMENT	4
111.	DETERMINATION OF OPERATOR CAPABILITIES IN TARGET CLASSIFICATION	7
IV.	RESEARCH ON EXPERIMENTAL DISPLAY TECHNIQUES	10
٧.	DETERMINATION OF THE OPERATOR'S ROLE IN TARGET DETECTION	12
VI.	STUDIES OF OPERATOR VIGILANCE	15
VII.	RECORDING OF TARGET DATA AT SEA	19
VIII.	DETERMINATION OF CALIBRATION AND MAINTENANCE SKILLS OF SONAR TECHNICIANS	31
IX.	ANALYSES OF ASW SYSTEMS IN OPERATION	23
PROJECT	PERSONNEL	25
REPORTS	ISSUED UNDER CONTRACT NONR 2649(00)	26
DISTRIE	BUTION LIST	28
DD Form	1473	

v111

SIX YEARS OF RESEARCH ON HUMAN FACTOR
PROBLEMS IN ASW: A SUMMARY

INTRODUCTION

The investigations conducted under this contract can be grouped into nine basic areas. Few studies belong exclusively to a single area, and it will be seen that findings from a single study are sometimes appropriately classified under more than one of the following headings:

- I. Development of fundamental concepts of target classification
- II. Analyses of clues displayed by operational equipment
- III. Determination of operator capabilities in target classification
- IV. Research on experimental display techniques
- V. Determination of the operator's role in target detection
- VI. Studies of operator vigilance
- VII. Recording of target data at sea
- VIII. Determination of calibration and maintenance skills of soner technicians
 - IX. Analyses of ASW systems in operation

In the sections that follow, the specific findings in each of the above areas are concisely summarized. The technical report from which each finding or conclusion was taken is indicated at the end of each statement by the number in parentheses. The full title of each referenced Report is listed at the end of this summary.

I DEVELOPMENT OF FUNDAMENTAL CONCEPTS OF TARGET CLASSIFICATION

In December 1958, HFR conducted a workshop in target classification at the U.S. Navy Tactical ASW School, Norfolk, Virginia. Discussions centered around fleet experience in relation to the findings of several years of previous research on larget classification that had been conducted by NEL and HFR. It became evident during the workshop, which was attended by representatives of almost every ASW operational and training command, that there were many diverse opinions concerning the value and role in target classification of various displays and the clues they presumably provided. Consequently, HFk assumed the oblication of developing a logical framework for target classification that would encompass all displays, clues, and procedures known to be of value in classifying with active, scanning sonars.

Specific Results

- 1. The logical basis for target classification with scanning sonars was established. It was shown how classification depends on determining the target's motion, size, reflective structure, aspect, and depth. The role of each display in contributing partial, complementary information about one or more of these target attributes was described (0).*
- 2. It was shown why target classification should be based on a test of the "submarine hypothesis" and why previous emphasis on identifying various classes of nonsubmarine targets was neither necessary nor desirable (0).
- The value of using displayed target aspect (orientation in the sound beam) as the basis for correlating and evaluating all other displayed clues was established (0).

*This first report issued under Contract Nonr 2649(00) did not bear a series number as did subsequent ones. For convenience it is referred to here a, report No. 0.

- 4. It was shown how each clue and various combinations of clues relate to estimations of the major characteristics of the target (motion, size, reflective structure, aspect depth) and how these characteristics, in turn, are combined to establish the probable nature of the target (0).
- 5. It was shown how classification is made more or less difficult depending on the target's speed, depth, range from the A/S vessel, apparent aspect, aspect changes, and geographic location (11).
- 6. It was shown that evaluation of classification evidence is hindered, in part, by the fact that U. S. systems provide no direct information about target depth (10).

Importance to the Navy

The first technical report issued under this contract, <u>Target</u> <u>Classification Using Active Scanning Sonars</u>, has been adopted, unchanged, as an official NAVPERS publication on the subject of classification. It serves as the standard text for target classification training courses in the ASW Schools and has directly influenced the design considerations of engineers concerned with the construction of specialized equipment for target classification. This publication is also serving as a model for a similar one being developed for the British Navy by personnel attached to H.M.S. VERNON.

II. ANALYSES OF CLUBS DISPLAYED BY OPERATIONAL EQUIPMENT

The precise character and significance of target clues in displayed sonar echoes cannot be determined in advance of actual trials at sea with targets that are representative of the classification problem. HFR has collected and analyzed thousands of feet of motion picture records and tape recordings of displayed signals from a wide variety of sonar contacts.

Specific Results

- 7. Detailed descriptions of usable clues from the audio, PPI, and graphic recorder displays of the SQS-4 and SQS-29 were developed. The probability of occurrence and perceptibility of each clue by operators and the manner in which clues vary or change as a result of equipment control settings, sonar conditions and target maneuvers was described (0).
- 8. The number, description, and usefulness (validity) for classification of target pip shapes displayed by the SQS-23 PPI was determined. It was shown that the pip shape categories developed for earlier scanning sonars were not adequate for the SQS-23 (22).
- 9. It was shown that pip shapes are not highly related to target nature in a direct sense, but, in the case of submarine targets, often provide evidence of target orientation that is highly useful for evaluating the total clue pattern (22).
- 10. It was shown that the usefulness for classification of SQS-23 pip shapes was heavily dependent upon the range scale in use, that meaningful shapes occur very infrequently when using the 5000-yard (or greater) range scale. The relationship between the type of pip shape obtainable from a submarine target and the PPI centering mode in use (SCD or TCD) was determined (22).
- 11. The extreme difficulty of analyzing the motion of

either slow-moving or non-moving targets with present displays and plotting equipment was reported, and the superior capability of some European sonar systems in this respect was described (23, 27).

Importance to the Navy

Continuing analyses of clue patterns are essential to progress in target classification since any change in either the transmission, reception, or processing features of a sonar is likely to introduce corresponding (and unknown) changes in the meaningfulness of the clue patterns. Significant details and relationships are not effectively determined from regular fleet operations or ASM exercises. Furthermore, even the advent of successful automatic classification systems will not eliminate the new for periodic basic analyses to determine the meaningful information in make ers

The results of these analyses to date have it it ated three important needs for improved display design:

- (1) There continues to be an urgent need for a simple, reliable electronic and to doppier discrimination.
- (2) The display of target axis information at ranges considerably greater than those obtainable with present PPIs is essential.
- (3) Improved means for establishing target motion and target track by the soner team is urgently required.

The lack of suitable displays for assessing the motion of slow-moving (or non-moving) targets in the shortest possible time is seriously hampering classification. The discrimination of doppler by operators is unreliable; the DRT plots and the computed fire-control solution are both too slow and too inaccurate for classification purposes. (It must be remembered that a fast, or even

.

moderately fast-moving submarine is not a classification problem, although it may well be a tracking and a fire-control problem.)

A sensitive semi-automatic target plot fed by data generated by equipments already in typical shipboard sonar systems would be a major step toward improving classification.

III. DETERMINATION OF OPERATOR CAPABILITIES

IN TARGET CLASSIFICATION

CONFIDENTIAL

It is extremely difficult to make fair, objective assessments of the more subtle capabilities of sonar personnel on the basis of their performance in the actual operating environment. Unlike radar operations which routinely provide the opportunity for radamen to practice and develop operating techniques, sonar operations simply do not regularly enable sonarmen to exercise and reinforce the complex skills involved in detecting, classifying, and tracking underwater targets. The result is that specific performance deficiencies often go undetected for months, if not years. Furthermore, ASW exercises do not readily permit the diagnosis of the strengths and weaknesses of individual team members, since they are primarily designed and evaluated on the basis of the tactical and weapons-delivery phases of the problem.

The measurement of specific operator capabilities and weaknesses serves at least three very important needs: (1) it enables intelligent training emphasis to be placed on those aspects of the job that are most difficult; (2) it enables meaningful performance standards to be established for evaluating new displays requiring human monitors; and (3) it provides criteria for assessing the capabilities of machines that are proposed as substitutes for functions traditionally performed by men.

Specific Results

12. Both practice? and written tests of target classification skills and knowledge have been constructed.
"Trained" sonar operators have been found typically
to score between 50% and 70% correct on practical
tests comprised of fairly difficult classification
problems. They score somewhat higher on written
tests (10).*

*Chance performance on a balanced test permitting only two con-

7

- 13. Marked individual differences have been found among sonarmen in ability to assimilate target classification training (10).
- 14. Target classification training has been shown to be more effective among operators who have had sea experience than among trainees just out of basic training (10).
- 15. Sonar trainees make frequent perceptual errors in clue recognition even at the completion of training. Performance is somewhat better on clues displayed by the graphic recorder than on the audio or PPI-- presumably because of the "memory" characteristic of that display (10).
- 16. Present sonar displays are not well suited to accurate clue recognition. Thirty (or more) successive echoes are frequently required for correct classification concepts to form. A major source of errors results from inability to form correct conclusions about the target's aspect and movement (10).
- 17. The average sonar operator requires about 22 cps of doppler for accurate doppler recognition using SQS-4 and SQS-29 series sonars. Depending on the nodel, reliable discrimination thus requires a submarine speed component of from 2.2 to 3.9 knots in the direction of the sound beam (12).
- 18. The average sonar operator can reliably discriminate about 12 cps of doppler with SQS-23 sonars,
 This is equivalent to about 3.5 knots of target speed in the direction of the sound beam (23).
- 19. Operators experience difficulty in recognizing "no" doppler as well as small amounts of "up" and "down' doppler. However, a judgment bias noted with older sonars toward reporting "up" doppler when no doppler was present was found to be less prounounced with RDT-modified sonars (12, 23).
- 20. There are large individual differences among sonar operators in doppler recognition ability. Task assignments within the team should reflect these differences (23).

clusions (i.e., "submarine" and "nonsubmarine") is 50%. Thus the performance level reflected by these figures is 0% to 20% above what would result from sheer guesswork.

- Only marginal improvement in doppler recognition (2 to 3 cps) occurs with training once the concept has been initially grasped. However, experienced operators may occasionally recognize secondary cues in the echo that aid in arriving at a correct judgment (23).
- 22. A moderate correlation typically is found between Sonar Pitch Memory Test scores and performance on tests of doppler discrimination. Higher cutoff scores on this test or use of an actual doppler discrimination test would result in improved selection of operators for this task. Improved selection is a surer road to improved performance than is increased training (12).

Importance to the Navy

Improvement in target classification performance can be expected, provided that: (1) fundamental improvements in the display of certain clues are achieved; (2) training in classification techniques is concentrated on those who are highly screened from an aptitude and motivational point of view. Display improvements are essential; capitalization on individual differences in aptitude and interest is only sensible.

Before investing in expensive new displays or automatic processing devices that are proposed as replacements for functions traditionally performed by men, the performance of such devices should be compared with that of properly trained operators using appropriate problem material. In spite of their limitations, men have actually performed much better on some tasks involved in classification than have some fairly expensive electronic substitutes.

IV. RESEARCH ON EXPERIMENTAL DISPLAY TECHNIQUES

Thorough consideration of the man-machine interface is essential to the proper design of any complex system. In sonar, more effort seems to have been spent trying to design the man out of the system than in optimally designing it for his use.

It seems unlikely that signal analysis and interpretation will become fully automatic in the foreseeable future. In the meantime, there appear to be many opportunities to design displays that take better advantage of the unique capabilities of men.

Specific Results

- 23. The optimal audio frequency for doppler recognition is about 500 cps in contrast to the 800 or 1000 cps. typically used in sonar systems (23).
- 24. A proposed technique for speed-translating sonar signals to enhance doppler effects was shown to produce no systematic improvement in doppler discrimination (12).
- 25. An experimental device designed to display doppler visually was found to be less effective than aural discrimination by the average sonar operator (12).
- 26. There is a critical need for achieving an interpretive match between the meaning of a classification display to the tactical officer and the discriminating capabilities of the sensing and data-processing equipment. There is a lack of understanding among many ASW decision-makers of the probabilistic nature of scnar target classification that naturally results from imperfect sensors and information displays (21).
- 27. Use of the traditional 3-way classification scheme ("probable submarine," "possible submarine," "nonsubmarine") results in serious losses of information for the tactical decision-maker. Displays of the type used with MITEC are much better but require training in interpretation (21).

ACCOUNTY TO THE PARTY OF THE PA

28. The output of target classification aids or computers should be directly related to likelihood ratio (probability that the target is a submarine divided by the probability that it is not) if the number of correct tactical decisions is to be maximized (21).

Importance to the Navy

The perceptions, judgments, and decisions of humans will continue to be critically important in any existing or probable future sonar system. The nature of the demands may change, or they may be imposed at a different point in the processing and evaluating sequence, but they will remain critically important to successful functioning of the overall system. Not only will it continue to be necessary to deal with human decision functions, but it will remain desirable to capitalize on the flexibility that only man can bring to the problem.

Research thus far suggests that far greater skill is necessary in coupling machine and man functions in sonar systems than has been demonstrated in the past. Output displays generally need to be made more meaningful; training in interpretation must be made more uniform and sophisticated.

11

CONFIDENTIAL

V. DETERMINATION OF THE OPERATOR'S ROLE IN TARGET DETECTION

No other requirement has so dominated sonar equipment design requirements over the past 20 years than that of extending the target detection range. The resulting increase in equipment complexity and predictable accompanying maintenance problems have created serious doubt that the detection performance of the newer systems is, in fact, uniformly better than that of older, simpler ones.

A great deal of improvement in sonar detection could be forthcoming, however, through increasing attention to the complementary
capabilities of man and machine. Human operators are exceptionally
adept at the detection of complex aural and visual signals in heavy
background noise. However, they are often very poor at sustaining
attention for such signals over prolonged periods of time, especially if the signals occur very infrequently. Machines can be
built that are perfectly attentive and have infallible memories
but to date their pattern recognition performance has not matched
the flexible and adaptive capabilities of man for recognizing a
variety of signal types in backgrounds of non-random noise.

There is little doubt that improvement in target detection performance is achievable. There is also little doubt that it will require more effective man-machine coupling than has been typical of past systems. Several HFR studies have been directed toward these problems.

Specific Results

29. There are large individual differences among operators in detecting targets on PPI displays. Performance on watch is moderately predictable from short samples of performance during "alerted" conditions (16).

12

- 30. The requirement to search the entire PPI scope results in about 13% fewer detections on the average than when the operator is "alerted" to the target's probable bearing. (A performance loss of 3.5 db with respect to a reference signal that is just barely detectable.) (16)
- 31. Operators more quickly detect targets at mid-range on the PPi scope than at close or far range. The explanation may lie in the visual search patterns adopted by operators (20).
- 32. There are large, stable individual differences among operators in ability to detect weak infrequent signals (2).
- 33. Repeated presentations of a target signal (up to 5 echoes) are often necessary to elicit valid detection reports (5).
- 34. Operators have different personal criteria of what constitutes a sonar target signal. The relative leniency or stringency of each operator's criterion substantially affects the likelihood of a detection being reported and the false alarm rate (5).
- 35. Faint echo detection is a function of training and experience in addition to basic operator sensitivity (5).
- 36. Target detection performance is unrelated to traditional achievement scores in sonar operator courses or to scores on presently used aptitude tests (16).
- 37. In accord with observations by Horton (<u>Fundamentals of Sonar</u>), the range between 10% and 90% probability of detection on a PPI scope is only about 4.5 db; the range between "almost never" and "almost always" detecting a target is about 10 db. Thus display design features (or operating procedures) that improve systems performance as little as 1 db are well worth the trouble (16).
- 38. Setting the PPI scope brightness at "visual reference intensity," as often recommended in technical manuals, adversely affects target detection. The optimum brightness is well above this setting (17).

13

- 39. Sonar operators typically do not adjust CRT bias and gain optimally for detection performance. Targets producing low intensity signals can be detected with much greater frequency using experimentally determined optimum settings than when using settings "preferred" by operators (20).
- 40. A 3-db gain in detection performance of an operating SQS-23 was obtained when ship's operators used experimentally determined optimum bias and gain settings in contrast to their normally preferred settings (26).
- 41. Search radars in patrol aircraft (P2Vs and P5Ms) are also likely to be operated at non-optimum brightness levels; ambient illumination in the P5M aircraft is sufficiently variable to introduce serious losses in detection probability.

There are also adverse effects on target detection of the relatively high compartment illumination in the HSS-2 and of the consequent requirement that a viewing hood be used (17, 18).

Importance to the Navy

The use of cathode ray tubes as detection displays requires continuing research into the questions of optimal design and operator procedures. It is clear that the actual detection capability of a complex sensor system may be far different from its theoretical capability, as a result either of inappropriate control settings or non-optimum visual search procedures, or both.

Target detection performance also can be improved by proper selection of personnel and more comprehensive training. Selection should be directed toward obtaining personnel who are highly vigilant for the type of displays used for sonar (see Topic VI). Training should be directed toward procedures for calibrating the displays properly, optimum visual search patterns, and echo recognition. Existing training equipment is not properly designed for training these activities, although none films and tapes of sonar echoes are appropriate for training in echo recognition.

VI. STUDIES OF OPERATOR VIGILANCE

HFR studies in vigilance have been conducted at a very fundamental level. Vigilance is defined as the ability to sustain attention over prolonged periods of time for an event (signal) that has a relatively low probability of occurrence. An additional characteristic of most situations requiring vigilance is that it is critically important that the signal be detected at the carliest possible moment. Furthermore, failure to detect a signal can be disastrous.

The sonar watchstander is confronted with a vigilance task that is unique in many respects. He may spend hundreds of hours on watch without experiencing a target signal. He monitors both sural and visual displays that present unique, partially redundant information. The search task is demanding, yet boring, and the opportunities for a sense of contribution and reward are few. Sonar operators can expect to be virtually ignored for long periods of time by the personnel of other ship's activities, by the watch officers, and even by the command.

Specific Results

- 42. A vigilance decrement (loss) occurs in the first few minutes of a sonar watch. On the average about 20% fewer detections are made of signals that are of such intensity as to be readily detectable when the operator is fully alerted (16).
- 43. There are large, stable individual differences among operators in ability to sustain vigilance for the types of aural and visual stimuli associated with sonar signals (2).
- Individuals who are vigilant for visually displayed signals are not necessarily vigilant for auditory signals and vice versa (2).

15



- 45. The more difficult it is to recognize the signals on the display, as defined by percentage of detections under alerted conditions, the greater the performance decrement as time on watch progresses (8).
- 46. The frequency of "non-observing" responses (looking away from a visual detection display) increases with time on watch and is positively related to the number of signals missed (14).
- 47. Signals can be missed when even the eyes are fixated on the detection display (14).
- 48. If probability of signal occurrence on a visual and an auditory display is equal, and both displays are being monitored by the same operator, more signals will be detected on the auditory display (8).
- 49. Operators monitoring more than one display are inclined to attend selectively to the display having the more easily recognizable signals. If the displays are not redundant, this can adversely affect detection probability (8).
- 50. Detection performance on redundant auditory and visual displays is superior to that on either display used alone (8).
- 51. Under routine watchstanding conditions there appears to be less performance decrement with auditory than with visual displays (2).
- 52. The probability of signal detection is (within limits) positively related to the rate of signal occurrence. The less frequently signals appear, the more severe will be the loss in detections due to the vigilance decrement during the watch (1).
- 53. Signal detection performance is related to "expectancy" on the part of the operator. If the operator
 has been conditioned to expect signals at very
 irregular intervals, the probability of signal detection decreases as a function of the amount of
 time elapsed since the last detection. In contrast,
 if he is conditioned to expect signals regularly, the
 probability of defection increases as a function of
 time since the last detection. Operators expecting
 long intervals between signals are particularly prone
 to missing signals that occur soon after one that has
 been detected (9).

16

- 54. Immediate knowledge of how well he is doing (performance feedback) reduces the operator's vigialance decrement (1).
- 55. The introduction of artificial signals increases the probability of detecting infrequent real signals (1).
- 56. The level of vigilance maintained by the operator is also a function of environmental stitulation from sources other than the detection displays. If the extra stimulation is not actually distracting, the added "arousal" it provides serves to facilitate vigilance (6).
- 57. Vigilance decrements are less severe in complex monitoring situations than in simple ones although the absolute level of performance may be lower for the complex display (i).
- 58. When the signal rates on a visual display are low, a variety of auditory stimuli reduces the vigilance decrement (7).
- 59. Environmental noise reduces vigilance performance on complex vigilance tasks (1).
- 60. Short, frequent rest periods are better for sustaining vigilance than long, less-frequent ones (1).
- 61. Performance on vigilance tasks is not reliably predicted from scores on conventional psychological tests of aptitude, temperament or motivation.

 Traditional sensory threshold measures are only slightly predictive of vigilance performance (4).
- 62. Detection performance during a short test of vigilance is predictive of vigilance during prolonged watchstanding. Men most sensitive to the discriminations required by the operational display show the least decrement in performance (2).

Importance to the Navy

There is little doubt that sonar target detections are made less frequently and with greater delay as a result of losses in vigilance on the part of operators. The often reported differences

17

in detection ranges between routine and "alcrted" search during actual sonar operations is an additional objective reminder of this fact. More serious, however, is the unknown number of detectable targets that go completely unnoticed.

Failure to detect detectable targets is also, of course, the result of factors other than vigilance loss, such as equipment calibration, operating technique, and visual search pattern. What to do about some of the non-vigilance problems has been discussed elsewhere in this summary. Concrete steps can also be taken to help minimize the vigilance decrement:

- a) The differences among operators in susceptibility to vigilance loss while monitoring sonar displays can be measured and used in qualifying them for various watchstanding tasks.
- b) Injection of synthetic signals is a feasible means of increasing signal rate and consequently combating the effects of the vigilance decrement. Minor modifications to presently existing shipboard equipment (signal injectors) would be quite adequate for this purpose. However, successful implementation would require the involvement and understanding of all watch officers. Signals should be programmed and performance monitored by officers on watch, not by other members of the scnar team.
- c) Synthetic signals can also be used to provide much needed recognition and performance feedback to operators. It would be possible to extend the technique to include shipboard training in search techniques, making proper bias and gair settings, calibration of displays, etc.

to the first the first beautiful to the second of the second

VII. RECORDING OF TARGET DATA AT SEA

The recording and analysis of representative submarine and non-submarine contacts made while using operational equipment at sea is a fundamental requirement for determining the classification capability of an ASW system. Such data are needed to determine the quantity and quality of clues producible by the equipment. Furthermore, the recordings also can be prepared in test form for measuring the abilities of ASW personnel in clue recognition and actual classification.

The first systematic collection of target data specifically directed at the classification problem was made by NEL, with HFR assistance, using SQS-10/11 equipment.* Since that time, HFR periodically has made additional collections as the fleet received new equipments or important modifications to older equipments. In each cas2, analyses have been performed to redetermine the adequacy of the displayed information for classification.

Specific Results

- 63. Representative samples of submarine and nonsubmarine contacts as displayed by the SQS-29 series sonars (including VDS) were recorded and analyzed (22).
- 64. Representative samples of submarine and nonsubmarine contacts as displayed by the SQS-23 sonar were recorded and analyzed (22).
- 65. The first system for recording target data from the displays of an airborne (relicenter) sonar system was designed and developed. Successful recordings of contacts as displayed by the AQS-10 sonar were made (15).
- 66. The first sound motion pictures for training and testing recognition of faint target signals preserted by scanning sonars was developed (5).

*Under an earlier contract.

- 67. The only effective doppler performance tests for SQS-4, SQS-29, and SQS-23 sonars were constructed. These tests were comprised entirely of actual target recordings with doppler values determined under carefully controlled conditions (12).
- 68. Seven motion picture tests of SQS-23 contact data were developed for use in measuring the classification skills of ASW personnel and testing the utility of special classification aid such as HHIP and MITEC.*

Importance to the Navy

The motion picture tests have been reproduced and distributed by the Bureau of Personnel to all ASW training facilities. They constitute the only existing effective aids to SQS-23 target classification training.

Target recordings have also been distributed to industry on a limited basis when requested by the Navy. These have had an important influence on design concepts for specialized classification equipment now in various stages of development.

Doppler tests, slides of graphic recorder traces, and films designed to train faint echo detection have also been made available on an informal basis to the ASW Schools.

*No report describing these films was issued under this contract. A full analysis and an instructor's guide was published under a separate contract with the Bureau of Personnel.

VIII. DETERMINATION OF CALIBRATION AND MAINTENANCE SKILLS OF SONAR TECHNICIANS

It has been evident for some time that the complexity of sonar equipments has been increasing at a faster rate than have the abilities of sonar technicians to cope with the calibration and maintenance requirements that are the inevitable result of such complexity.

Until recently little attention has been focused on the capabilities and limitations of sonar technicians in the area of maintenance. There are several reasons for this, and they are largely unique to sonar operations: (1) no easy means exists for checking the actual operating status of the sonar; (2) it is difficult to separate the effects of sonar (water) "conditions" from equipment conditions in evaluating sonar equipment performance; (3) except during ASW exercises, little attention is paid to sonar equipment performance since no means exists for encountering contacts on any but a chance basis; (4) the ASW officer generally is not sufficiently trained to challenge statements of the technicians about the status of the equipment.

Work by HFR in this area has been directed toward the objective determination of the status of equipment, on the one hand, and the corresponding skills and knowledge of sonar technicians, on the other.

Specific Results

69. A test of calibration proficiency for the SQS-23 was developed which showed that the average rated technician lacks the knowledge necessary to understand the effects of various calibrations (24).

21

- 70. The "cookbook" calibration procedures outlined in the technical manuals were found not to produce a fundamental understanding of the effects of various adjustments on the status of the equipment (24).
- 71. Substantial errors of calibration were found to be the rule rather than the exception in a sample of SQS-23 destroyers. For example, the average error in range calibration was well beyond cificially stated tolerance levels (24).
- 72. An improved procedure for bearing alignment with the SQS-23 was developed (24).
- 73. An analysis was performed to determine how various calibration errors are specifically related to performance deficiencies in detection, target classification, tracking, and fire control (24).
- 74. An analysis was performed showing that the training given to U.S. Navy sonar technicians is far less extensive than that given to European technicians with similar maintenance responsibilities (27).

Importance to the Navy

A multitude of interrelated technical and administrative problems have limited progress in developing maintainable sonar systems in the U.S. Mavy. Substantial improvement can be predicted, if: (1) the effort to assess technicians' capabilities by objective testing procedures is continued; (2) training programs are extended or modified in accordance with the findings of such assessments; (3) equipment designers are compelled to employ techniques and components that reflect the current state of the art in designing for maintainability.



IX. ANALYSES OF ASW SYSTEMS IN OPERATION

Although the majority of the investigations conducted by HFR under contract Nonr 2649(00) have been experimental in form and directed toward very specific questions, a few have consisted of broad systems analyses encompassing all phases of operation of a complex ASW system. To date these have been concentrated on sirborne systems, usually at the request of an operating command.

Specific Results

75. Object evidence concerning the actual capabilities of MAD. JULIE, and Sonchuoy systems in the hands of typical operators is extremely limited (18).

- 76. Training exercises typically do not provide opportunities for false positives, that is, the possibility of reporting contacts when, in fact, no submarine is present. Exercises should be designed so that "expectancy" is not a contributing factor in measuring operator detection capability (18).
- 77. There is much room for improved operating procedures in the use of the weapons system trainer for ASW patrol aircrews. A similar conclusion holds for needed improvement in team communication procedures in the aircraft itself (18).
- 78. Better use can be made of ASCAC in evaluating the mission performance of ASW aircraft teams (18).
- 79. The trainer developed for AQS-10 sonar operations is useful for routine procedures training only. It is totally inadequate to meet the needs for team training or training in target detection or classification (17).

Importance to the Navy

ASW systems continue to grow in complexity. While some functions will be almost completely automated in systems now under development, humans will continue to play key roles, at some stage

or another, in the processing of data and the making of decisions.

Many past dissatisfactions with human performance in ASW stem from
the limited capabilities of the system's sensors, from poor displays,
and from the limited opportunities the personnel have to practice
basic acquired skills in the operating environment.

The substitution of automatic data processors for human ones will not solve the fundamental problems of limited sensors, less-than-optimus displays or insufficient ASW experience. Rather, the likely result is a substantial increase in calibration and maintenance problems that are just as difficult to cope with, or more so, than the operational problems the automatic processor was designed to eliminate.

Side-by-side comparisons of the performance capabilities of new complex systems with older, simpler systems, under representative operating conditions, appear to be somewhat unpopular, if their number is any criterion. There is a growing suspicion, however, that many of the newer systems have not only failed to achieve their theoretical performance level in the hands of the fleet, but actually do not perform as well, from an overall systems point of view, as some of their grandparents.

There must be a more adequate solution to the Mavy's operating problems than the simple substitution of next year's model for last year's, at several times the cost. It would seem that the point has been reached where more improvement might result from concentration on the human problems rather than on the electronic problems.

24

PROJECT PERSONNEL

The following personnel have made substantial contributions to the success of the research summarized in this report. The number of persons does not reflect the level of effort since only a few of them have been regularly assigned to the project. The average level of effort has been approximately 4.5 man-years.

Chester H. Baker, Ph.D.
Donald N. Buckner, Ph.D.
William F. Dossett
Raymond A. Gavin
Albert Harabedian, Ph.D.
Douglas H. Harris, Ph.D.
James F. Hatcher
Wallace S. High, M.A.

James J. McGrath, Ph.D.
Robert R. Mackie, Ph.D.
Lily Y. Odaka, wft*
Edward L. Parker, M.A.
Jon C. Rittger
Merlyn L. Seltzer
Barbara J. Tabachnick
Richard L. Weis

*World's finest typist.

28

REPORTS ISSUED UNDER CONTRACT NONR 2649(00)

Number	Title	Authors		
0	Target Classification Using Active Scanning Sonars (U) (1959) CONF.	Mackie, Gavin and Parker		
1	Review and Critique of the Literature on Vigilance Performance (1959)	M:Grath, Harabedian and Buckner		
18*	A Bibliography of Research on Human Vigilance (1961)	McGrath		
2	A Study of Individual Differences in Vigilance Performance (1960)	Buckner, Harabedian and McGrath		
25	Subjective Reactions of Vigilance Performers (1960)	McGrath		
3	The Probability of Signal Detection in a Vigilance Task as a Function of Intersignal Interval (1960)	Harabedian, McGrath and Buckner		
4	An Exploratory Study of the Correlates of Vigilance Performance (1960)	McGrath, Harabedian and Buckner		
48	Cross-validation of Some Correlates of Vigilance Performance (1961)	McGrath		
5	The Development of an Experimental Motion Picture Sonar Targe: Recognition Test (U) (1960) CONF.	McGrath, High and Mackie		
6	The Effect of Irrelevant Environmental Stimulation on Vigilance Performance (1960)	McGrath		
7	Irrelevant Stimulation and Vigilance Under Past and Slow Stimulus Retem (1961)	McGrath and Hatcher		
8	A Comparison of Performances on Single and Dual Sensory Mode Vigilance Tasks (1961)	Buckner and McGrath		
•	Signal Detection as a Function of Intersignal Interval Duration (1962)	McGrath and Harabedian		

^{*}S = Supplement to principal report.

REPORTS ISSUED UNDER CONTRACT NONE 2649(00) (cont.)

Number	Title	Authors		
10	Further Experimentation in Training Target Classification Principles Applicable to Active Scanning Sonars (U) (1961) CONF.	Gavin, Mackie and Harris		
11	The Production of Target Classifi- cation Information by Submarines (U) (1960) CONF.	Macki•		
12	Three Studies of Sonar Doppler Dis- crimination: RDT Versus Omni- directional Transmission; Effects of Speed Translation, Use of the NRL Doppler Discriminator (U) (1961) CONF.	Harabedian und Parker		
206-13	The Accuracy of Judgments of Eye Fixations: A Methodological Note on Vigilance (1961)	McGrath and Hatchel		
206-14	During Five Days	McGrath, Maag, Hatcher and Brey		
208-15	Feasibility Study and Suggested Program for Collecting Recorded AQS-10 Detection and Classification Materials (U) (1962) CONF.	Gavin		
206-16	A Study of Target Detection by Trained Scnar Operators (1962)	Baker and Harabedian		
208-17	number of Training	Baker		
206-18	Notes on Some Human Factors Problems in Fixed Wing ASW (U) (1982) CONr.	Baker		
206-19	An Sonar Operator Detec-	Baker		
206-20	tion Performance Consequent to the Use of Optimum Bias and Gain (1963)			

REPORTS ISSUED UNDER CONTRACT NONR 2649(00) (cont.)

Number	Title	Authors	
206-21	The Display of Probabilistic Solutions in Sonar Target Classification (U) (1963) CONF.	Mackie	
206-22	Further Study of PPI Pip Shapes in Relation to Sonar Target Classifi-cation (U) (1963) CONF.	Rittger, Tabachnic) and Mackie	
206-23	Studies of Doppler Recognition Using SQS-23 Sonar (U) (1963) CONF.	Harabedian and Mackie	
206-24	The Effect of Calibration Accuracy on Basic Sonar Operations (U) (1964) CONF.	Parker	
206-25	The Relationships Between Echo Enve- lope Characteristics and the Judgment of Echo Quality	Dossett, Gavin and Seltzer	
206-26	Sorar Operator Detection Performance at Sea (1964)	Baker, Parker and Rittger	
206-27	Sonar Operation, Maintenance and Research: Some Contrasts Between the U.S. and Western European Navies (U) (1964) CONF.	Mackie	

28

DISTRIBUTION LIST FOR TECHNICAL REPORT NO. 206-28

2 Chief of Naval Research Code 458 Department of the Navy Washington, D. C. 20350

A threaten which was the same of the same

- 30 Hold for future requests
- 20 Commander
 Defense Documentation Center
 Cameron Station
 Alexandria, Virginia 22314
- 13 Chief of Naval Operations
 Department of the Navy
 Washington, D. C. 20350
 (1 ea. to:) Op 32 Op 713
 10 713
 31 03EG
 316 03T
 34 605E
 07T 95
 - 1 Commander in Chief U.S. Atlantic Fleet U.S. Naval Base Norfolk, Virginia 23511
 - 1 Commander in Chief U.S. Pacific Fleet Fleet Post Office San Francisco, Calif. 96601
 - 1 Commander Training Command U.S. Atlantic Fleet U.S. Naval Base Norfolk, Virginia 23511
 - l Commander Training Command U.S. Pacific Fleet c/o U.S. Fleet Sonar School San Diego, California 92147
 - 1 Commander Destroyer Force U.S. Atlantic Fleet Newport, Rhode Island 02840

- Commander Cruiser Destroyer Force U.S. Pacific Fleet San Diego, Calif. 92132
- Commander Antisubmarine Warfare Force U.S. Atlantic Fleet U.S. Naval Base Norfolk, Virginia 23511
- Commander Operational, Test & Evaluation Force U.S. Atlantic Fleet U.S. Naval Base Norfolk, Virginia 23511
- 1 Commander Key West Test & Evaluation Detachment Key West, Florida 33040
- 1 Chief of Naval Personnel Pers-Cl413 Department of the Navy Washington 25, D. C.
- 1 Chief, Bureau of Ships Code 1610 Department of the Navy Washington, D. C. 2036C
- 1 Chief, Bureau of Ships Code 1620 Department of the Havy Washington, D. C. 20360
- 1 Commander Antisubwarine
 Werfare Force
 U.S. Pacific Fleet
 Navy #128
 Fleet Post Office
 San Francisco, California
 96601
- 1 Chief, Bureau of Ships Code 370 Department of the Navy Washington, D. C. 20360

ŧ,

l Chief, Bureau of Naval Weapons Code RU221 Department of the Navy Washington, D. C. 2036C

į

- 1 Chief, Bureau of Naval Weapons Code RU DC11 Department of the Navy Washington, D. C. 20360
- 1 Chief, Bureau of Naval Weapons Code RU Department of the Navy Washington, D. C. 20360
- 1 Director
 Naval Research Laboratory
 Code 1021
 Department of the Navy
 Washington, D. C. 20360
- i Director
 Naval Research Laboratory
 Code 5550
 Department of the Havy
 Washington, D. C. 20390
- Commanding Officer & Director U.S. Naval Training Device Center Port Washington, New York 11050
- Commanding Officer & Director Code 900 U.S. Navy Underwater Sound Laboratory Fort Trumbull New London, Connecticut 06321
- 1 Commanding Officer & Director U.S. Navy Electronics Laboratory Code 3180 San Diego, California 92152
- Institute for Defense Analyses 1666 Connecticut Avenue, NW Washington 9, D. C.
- 3 Chief of Naval Research Code 466 Department of the Navy Washington, D. C. 20360

- 1 Commander
 New London Development
 Detachment
 Operational Test & Evaluation Force
 U.S. Navy Underwater Sound
 Laboratory
 Fort Trumbull
 New Loldon, Connecticut
 06321
- 1 Director Naval Research Laboratory Code 2027 Department of the Navv Washington, D. C. 20390
- 1 Chief of Naval Research Code 455 Department of the Navy Washington, D. C. 20360
- 3 Chief of Naval Research Code 458 Department of the Navy Washington, D. C. 20360
- 1 Chief of Naval Research Code 4078 Department of the Navy Washington, D. C. 20360
- 2 Commending Officer U.S. Fleet ASW School Sen Diego, California 92147
- Commanding Officer U.S. Fleet Soner School U.S. Naval Base Key West, Florida 33040
- Commanding Officer U.S. Fleet Training Center U.S. Naval Base Norfolk, Virginia 23511
- 1 Commanding Officer
 U.S. Fleet Training Center
 U.S. Naval Base
 Newport, Rhode Island
 02844

- 2 Commanding Officer & Director
 U S Atlantic Fleet ASW
 Tactical School
 U S Naval Base
 Norfolk, Virginia 20511
- Commander
 Fleet Training Group
 Navy No 115
 Fleet Post Office
 New York New York 09501
- 1 Commander Fleet Training Group San Diego, California 92147
- 1 Commander
 Destroyer Development Croup 2
 Fleet Post Office
 New York, New York 09501
- 1 Commander
 Destroyer Flotilla 2
 Fleet Post Office
 New York New York 09501
- 1 Commander
 Destroyer Flotilla 3
 c/o U.S. Naval Station
 Long Beach 2, California
- 1 Commander
 Destroyer F!otilla 4
 Fleet Post Office
 New York, New York 09501
- 1 Commander Destroyer Flotilla 5 Fleet Post Office San Frencisco, Calif. 96614
- 1 Commander
 Destroyer Flotilla 6
 Fleet Post Office
 New York, New York 09501
- 1 Commander
 Destroyer Squadron 28
 (DesDiv 281)
 Fleet Post Office
 New York, New York 09501

١

- 1 Commander
 Destroyer Squadron 36
 (DesDiv 361)
 Fleet Post Office
 New York New York 09501
- l Commander
 Destroyer Squadron 25
 (DesDiv 251)
 Flee! Post Office
 San Francisco California
 96601
- 3 Chief of Naval Personnel Pers 152 Department of the Navy Washington, D. C. 20370
- 1 Chief of Naval Personnel Pers-Cl23 Department of the Navy Washington, D. C. 20370
- 1 Commanding Officer ONR Branch Office 1030 E. Green Street Pasadena, Calif. 91101
- 1 Commanding Officer Office of Naval Research Navy #100 Fleet Post Office New York, New York 09501
- 1 Director
 Naval Research Laboratory
 Washington, D. C 20390
 Attn: Technical Information
 Officer
- J Commanding Officer U.S. Naval Air Development Center Johnsville, Pa. 18974
- 1 Superintendent U.S. Naval Post Graduate School Monterey, California Attu: Librarian





- Commanding Officer Submarine Development Group 2 Fleet Post Office New York, New York 09501
- Executive Secretary Committee on Undersea Warfare National Research Council 2101 Constitution Avenue Washington 25. D. C.
- Systems Analysis Group Undersea Warfare Research & Development Council Room 5-224 Naval Ordnance Laboratory Silver Spring, Maryland 20910
- Oceanographer of the Navy U.S. Navy Oceanographic Office Washington, D. C. 20370
- 1 General Dynamics Electronics 1400 North Goodman Street P.O. Box 226 Rochester 1, New York Attn: Mr. Robert Rubegs* Senior Research Staff

*Note: Reports through Confidential be sent direct to addressee with copy of the letter of transmittal to INSMAT, 10201 Main Street, Buffalo, New York or send report via INSMAT

- 1 Commanding Officer U.S. Naval Air Development Center Johnsville, Pa. 18914 Att: NADC Library
- 1 Chief of Naval Personnel (Pers-Clil2a) Department of the Navy Washington, D.C. 20370
- 1 Commander, Ocean System U.S. Atlantic Fleet Norfolk, Virginia 23511

Supreme Allied Commander U.S. Atlantic Fleet ASW Research Center APO 19 New York, New York

> via 1) UNR Code 458 2) CNR OP 92C2

3) Secretariat of Military Information Control Committee はまで、大学は一年日のでは、「小学」とは、「大学」とは、「大学」とは、「大学」というない。

- 1 Security Officer Hudsch Laboratories 145 Palisades Street Dobbs Ferry, New York Attn: Dr. Dana P. Mitchell
- Commander
 Destroyer Development Group
 Pacific
 c/o U.S. Naval Station
 Long Beach, 2, California
 Attn: Special Projects
 Officer
- Officer in Charge Fleet Computer Programming Center Pacific (Library) San Diego, California 92147
- Director, Air University Library United States Air Force Maxwell Air Force Base, Alabama 36112
- 1 Bureau of Naval Weapons piget Readiness Representative Atlantic U.S. Naval Air Station Norfolk, Virginia 23511
- 1 Rurenu of Naval Weapons fleet Readiness Pepresentative U.S. Naval Air Station San Diego, California 92135







- 2 Officer in Charge U.S. Nava! Personnel Research Field Activity San Diego 52 California Attn: Dr. Earl Jones
- 2 Commanding Officer
 Electronics Maintenance
 Engineering Center
 U.S. Naval Station
 Norfolk, Virginia
 Attn: Mr. E. A. Norfolk
- Sangemo Electric Company Springfield, Illinois Attn: Mr. Merle Edmiston Sonar Section
- 1 Raytheon Company Submarine Signal Division Box 360 Newport, Rhode Island
- Defense Research Laboratories University of Texas Austin, Texas Attn: Dr. Lloyd Hampton
- 1 Director of Defense
 Research and Engineering
 The Pentagon
 Washington, D. C. 20301
 Attn: Asst. Director
 (Undersea Warfare &
 Battle Support
 System)
- 1 Assistant Secretary of the Navy (Research and Development) Navy Department Washington, D. C. 20350
- 1 Chief of Naval Operations Navy Department Washington, D. C. 20350 Attn: OP 0985

- 1 Chief of Naval Operations Navy Department Washington, D. C. 20350 Attn: OP 93R
- 1 Chief of Naval Operations Navy Department Washington, D. C. 20350 Attn: OP 36
- 1 Chief of Naval Operations Navy Department Washington, D. C. 20350 Attn: OP 07C
- 1 Chief of Naval Operations Navy Department Washington, D. C. 20350 Attn: OP 713
- 1 Chief of Naval Operations Navy Department Washington, D. C. 20350 Attn: OP 711
- 1 Chief of Naval Material Navy Department Washington, D. C. 20360 Attn: PM-4
- 4 Chief of Naval Research Navy Department Washington, D. C. 2036 Attn: Code 4025
- 1 Chief of Naval Research Navy Department Washington, D. C. 2036C Attn: Code 406T
- 1 Chiol, Bureau of Ships Navy Department Washington, D. C. 20360 Attn: Code 300H
- 1 Chief of Naval Operations Navy Department Washington, D. C. 20350 Attn: OP 91





- I Chief, Bureau of Ships Navy Department Washington D. C. 20360 Attn: Code 345
- Chief Bureau of Ships Navy Department Washington D. C. 20360 Attn: Code 420
- 1 Chief, Bureau of Ships Navy Department Washington, D. C. 20360 Attu: Code 440
- Chief, Bureau of Ships Navy Department Washington. D. C. 20360 Attn: Code 523
- 2 Chief, Bureau of Ships Navy Department Washington. D. C. 20360 Attn: Code 1630

· ...

- 1 Chief, Bureau of Naval Weapons Navy Department Washington, D. C. 20360 Attn: Code RUDC
- 1 Chief, Bureau of Naval Weapons Navy Department Washington, D. C. 20360 Attu: Code RRE-5
- Director, Special Projects Navy Department Washington, D. C. 20360 Attn: SP-2031
- 1 Commanding Officer Office of Naval Research Branch Office Box 32, Navy #100 Fleet Post Office New York, New York 09599
- 1 Commanding Officer Office of Naval Research Branch Office 207 West 24th Street New York, New York 10011

- 1 Pirector
 U.S Navy Underwater Sound
 Reference Laboratory
 P.O. Box 8337
 Orlando, Florida 32806
- Commanding Officer & Director
 U.S. Navy Underwater Sound
 Laboratory
 Fort Trumbull
 New London, Connecticut
 06321
 Attn: Code 905
- 1 Commanding Officer & Director U.S. Navy Underwater Sound Laboratory Fort Trumbull New London, Connecticut 0632! Attn: Code #10
- I Commanding Officer & Director U.S. Navy Underwater Sound Laboratory Fort Trumbull New London, Connecticut 06321 Attn: Code 930
- 1 Commanding Officer & Director U.S. Navy Underwater Sound Laboratory
 New London, Connecticut 06321
 Attn: Code 960
- 1 Commanding Office: & Director U.R. Navy Electronics Laboratory San Diego, Calif. 92152 Attachnology Code 1014
- 1 Commanding Officer & Director U.S. Navy Electronics Laboratory San Diego, Calif. 92152 Attn: Code 3060
- 1 Commanding Officer & Director David W. Taylor Model Basin Washington, D. C. 20007



- Commanding Officer & Director
 U.S. Navy Marine Engineering
 Laboratory
 Annapolis, Maryland 21402
- 1 Commanding Officer & Director U.S. Navy Mine Defense Laboratory Panama City, Florida 32402
- Commanding Officer and Director U.S. Naval Applied Science Laboratory U.S. Naval Base Brooklyn, New York 11251
- 1 Commander U.S. Naval Ordnance Test Station Ch*. a Lake, California 93557
- Commander
 U.S. Naval Ordnance Laboratory
 White Oak
 Silver Spring, Maryland 20910
 Attn: Code R
- Commanding Officer
 U.S. Navy Underwater Ordnance
 Station
 Newport, Rhode Island 02844
- 1 Officer In Charge
 Pasadena Annex
 U.S. Naval Ordnance Test
 Station, Chine Lake
 3203 E. Foothill Blvd.
 Pasadena, Calif. 91107
- 1 Commander Cruiser Destroyer Force U.S. Atlantic Fleet Newport, Rhode Island 02840
- 1 Director
 Warine Physical Laboratory
 Scripps Institution of
 Oceanography
 San Diego, Calif. 92152
- 1 Director
 Wood Hole Occanographic
 Institute
 Woods Hole, Massachusetts

- 1 Director
 Orthanos Research Laboratory
 Pennsylvania State University
 University Park, Pa.
- l Arthur D. Little, Inc. Acorn Park Cambridge 40, Massachusetts
- 1 Bendix Corporation 11600 Sherman Way No Hollywood, California Attn: Dr. Camp
- 1 Edo Corporation 13-10 111th Street College Point 56 Long Island, New York
- General Electric Company HMED Court Street Syracuse, New York
- 1 Litton Systems, Inc.
 Communication Sciences
 Laboratory
 221 Crescent Street
 Waltham 54, Massachusetts
- 1 TRACOR Incorporated 1701 Guadalupe Street Austin 1, Texas
- l TRG, Incorporated Route 110 Melville, New York 11749
- 1 Deputy Commander
 Submarine Force
 11.9. Atlantic Floet
 U.S. Naval Rubmarine Base
 Groton, Connecticut 06342
- 1 Commander
 Submarine Force
 U.S. Pacific Flose
 Floot Post Office
 San Francisco, Calif. 96601





- Wespons Systems Evaluation Group Defence Department The Pentagon Washington, D. C. 20301 Attn: Dr. Berry
- 1 Director of Naval Warfare Analyses Institute of haval Studies 545 Technology Square Cambridge, Massachusetts 02139
- 1 Dr. Frederick V. Hunt 222 Lyman Laboratory Harvard University Cambridge 38, Massachusetts

MCLASSILLE

Unclassified			
Security Classification			
	ONTROL DATA - R&D		
(Security cleenification of ti 1. ORIGINATING ACTIVITY (Corporate author)		nen the uvereit report is classified) EPORT SECURITY CLASSIFICATION	
Human Factors Research Inc	·	CONFIDENTIAL	
3040 State Street	20 0		
Santa Barbara California	()	4	
3. REPORT TITLS			
Six Years of Research on Human	Factor		
Problems in ASW: A Summary			
4 DESCRIPTIVE HOTES (Type of report and inclusive dates) A summary of findings from 27 p	miam tachmiani m		
5. AUTHOR(S) (Last name. High name, initial)	rior technical r	sports	
Mackie Robert R.			
6. REPO T DATE	74. TOTAL NO. OF PAGES	78. NO. OF REFS	
November 1964	28		
SA. CONTRACT OR GRANT NO.	SE ORIGINATOR'S REPORT	NUMBER(5)	
Nonr 2649(00)	İ		
& PROJECT NO.	206-28	28	
NR 153~199			
6 .	BA. OTHER REPORT NO(5) (Any other numbers that may be secigned	
d .			
10. AVAIL ABILITY/LIMITATION NOTICES			
•			
11. SUPPLEMENTARY NOTES			
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY A Personnel and T		
		ciences Division	
		Research Wash. D.C.	
13. ABSTRACT			
The results and implications of	MIT TORE. Of INT	estimation into	
the problems associated with the	operation and m	aintenance of	
ASW systems are described under	nine topical hea	dings:	
1. Development of Fundamental C		_	
2. Analyses of Clues Displayed	oncepts of large	t Classification	
3. Determination of Operator Ca	nahiilties in Te	rest Classification	
4. Research on Experimental Dis	play Techniques	- Ber Oxdesixication	
5. Determination of the Operato	r's Role in Targ	et Detection	
6. Studies of Operator Vigilanc	•		
7. Recording of Target Data at			
8. Determination of Calibration	and Maintenance	Skills of Soner	
Technicians			
9. Analyses of ASW Systems in O	peration		

DD . 7084. 1473 *101-007-0000

Unclassified Security Classification

- Committee (An Manager Committee (Manager Manager Committee Com

Unclassified

14.	KEY WORDS		LINK A		LINK C		
		• •	ROLE	WT] \$ E	<u> </u>	
Anti-auhmarine	warfere	7				1	
Target detecti	on						
Target classif	lication		.] i				
Vigilance	•				1	Ì	
Maintenance an	d calibration						
Clue recogniti	on		1 1			1	
Systems perfor	mance				i	}	
					Ì		
			!		1	1	
			i		L	L	

INSTRUCTIONS

- ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of De-fense activity or other organization (corporate author) issuing the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the over-all security dissification of the report. Indicate whether "Rustricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in DoD Directive \$200, 10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as author-
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in perenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period in
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter lest name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an shaclute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use cate of publication.
- 7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 76. NUMBER OF REFERENCES. Enter the total number of references cited in the report.
- So. CONTRACT OR GRANT NUMBER: If appropriate, on the applicable number of the contract or grant under which the applicable number the report was written.
- 80, &c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number subproject number, system numbers, task number, etc.
- 9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 94. OTHER REPORT NUMBER(S): If the repassigned any other report numbers (either by or oy the sponsor), also enter this number(s),

.Q. AVAILABILITY/LIMITATION NOTICES: Enter any limvarious on further dissemination of the report, other than the

imposed by security classification, using such set

- "Qualified requesters may obtain report from DDC." (1)
- "Foreign announcement and dissreport by ! DC is not ruthorized."
- "U. S. Government ag actes may this report Breetly free DDC. Ot users shell request though
- (4) "U. S. military agenc. :s may obta-seport directly from D. G. Other a shall request through
- "All distribution of this report is ified DDC users shall request the

If the report has been furn shed to the Services, Department of Come ree, for a cate this fact and enter the price, if know

- 1L SUPPLEMENTARY NOT 'S: Une for
- 12. SPONSORING MILITARY ACTIVITY (1914) % the departmental project office or takeron of the research and development of the second seco
- 13. ABSTRACT: Enter an abitimat giving a plan of aummary of the document indication of the major it may also appear elsewhere a the body of the port. If additional space is n quind, a cuntical

It is highly desirable that the phytract of as unclassified. Each paragreph of the abe want indication of the military a sculing lassific formation in the paragraph, re-research as (75)

- There is no limitation on the length of ever, the suggested length is provided to 225
- 14. KET WORDS: Key words an tecnotical or short phreases that characte in: a report in index entries for cataloging 0 a report. Key selected so that no security casas fication flers, such as equipment mand designation project code same, geographistication, may words but will be followed by artificiation text. The assignment of link, referred and security that the sessionment of link and security text.

C1468111 cutity Classift,